

Purview Privacy, Security and Compliance Overview

Last Updated July 2021

Contents

| | |
|---|----|
| Security Statement..... | 3 |
| Application and User Security | 3 |
| Physical Security..... | 4 |
| Availability..... | 4 |
| Network Security..... | 5 |
| Storage Security | 5 |
| Organizational & Administrative Security..... | 5 |
| Software Development Practices..... | 6 |
| Handling of Security Breaches..... | 6 |
| Client Responsibilities..... | 6 |
| Custom Requests | 6 |
| Vulnerability Management Policy..... | 8 |
| Privacy Shield..... | 9 |
| Data Security | 14 |
| How We Use Patient Data | 15 |
| E-Mail Controls..... | 15 |
| Use of Cookies | 15 |
| Use of Web Beacons | 15 |
| Changes to this Privacy Policy..... | 16 |
| Purview Data Flow Diagram..... | 17 |
| Attachment A..... | 18 |
| Independent Service Auditors' Report for Purview Datacenters..... | 18 |
| Attachment B..... | 19 |
| Viewer Certifications & Approvals..... | 19 |
| Client Outlook FDA Approvals | 20 |
| Attachment C..... | 41 |
| Downtime Report..... | 41 |

Security Statement

Hundreds of healthcare organizations and millions of patients trust Purview with their medical records, and we make it a priority to take our users' security and privacy concerns seriously. We strive to ensure data in our cloud-based medical information management platform is kept securely.

Purview uses some of the most advanced technology for Internet security that is available today. This Security Statement provides you with transparency about our security infrastructure and practices, to help reassure you that your data is appropriately protected.

Purview does business all around the world and hence is subject to the security policies of various jurisdictions. The majority of our customers subject us to HIPAA, GDPR and Privacy Shield compliance.

Application and User Security

- **SSL/TLS Encryption:** Communications with our portal (share.securerad.com and www.purview.net) and our zero-footprint client (eUnity) are over a secured, encrypted SSL/TLS connection. Secure Sockets Layer (SSL) and Transport Layer Security (TLS) technology protect communications by using both server authentication and data encryption. This ensures that user data in transit is safe, secure, and available only to intended recipients. Purview has standardized on SSL/TLS connections that are at least 2048-bit encrypted.
- **VPN/IPSEC Encryption:** Medical imaging studies that are transmitted to and from our data center can be sent over a secure encrypted VPN/IPSEC connection. IPsec is a framework for a set of protocols for security at the network or packet processing layer of network communication.
- **User Authentication:** User data in our platform is logically segregated by account-based access rules and separate physical databases. User accounts have unique usernames and passwords that must be entered each time a user logs on. Purview issues a session cookie only to record encrypted authentication information for the duration of a specific session. The session cookie does not include the password of the user.
- **User Passwords:** User application passwords have minimum complexity requirements. Passwords are individually salted and hashed.
- **Data Encryption at Rest:** All of our data is secured behind firewalls and physical security. Certain sensitive data is stored in encrypted format at rest.
- **Data Portability:** Purview enables you to export your data from our system so that you can back it up, recover from it, or use it with other applications. Access controls are in place to enable or disable the export of a complete set of data from our portal.
- **Privacy:** We have a comprehensive privacy policy that provides a view of how we handle your data, including how we use your data, who we share it with, and how long we retain it.

- **Access:** Purview provides several methods for accessing medical imaging studies in its cloud environment: (a) through its web portal using eUnity zero-footprint client, (b) using the eUnity zero-footprint client on mobile devices, and (c) over a VPN/IPSEC tunnel using standard DICOM medical imaging protocols to send and receive DICOM data.
- **Collaboration:** Using eUnity zero-footprint client, a user can collaborate with other individuals over a SSL/TLS encrypted Internet connection. During this session, the user can choose to display or hide protected health information.

Physical Security

- **Data Centers:** Our information systems infrastructure (servers, networking equipment, etc.) is collocated at Expedient SSAE 16/SOC 3 and Equinix (in Sydney Australia) audited data centers. We own and manage all of our equipment located in those data centers. A copy of both data centers Auditors' Reports are available under NDA on an as needed basis
- **Data Center Security:** Our data centers are staffed and surveilled 24/7. Access is secured by security guards, visitors logs, and entry requirements such as access cards and biometric recognition. Our equipment is kept in locked cages. Our employees who are authorized to access our equipment are escorted by data center staff. Only certain members of our staff are authorized to access our data centers.
- **Environmental Controls:** Our data center is maintained at controlled temperatures and humidity ranges which are continuously monitored for variations. Smoke and fire detection and response systems are in place.
- **Location:** All US user data is stored on servers located in the United States at data centers in Baltimore, MD and Pittsburgh, PA. All Australian data is located in Sydney, Australia in order to comply with local privacy laws. EU, Swiss and UK data is stored in our US data centers under authorization of **Privacy Shield**.

Availability

- **Connectivity:** Fully redundant IP network connections with multiple independent connections to a range of Tier 1 Internet access providers including Level 3, XO and Cogent Communications.
- **Power:** Servers have redundant internal and external power supplies. Our data centers have backup power supplies, and are able to draw power from the multiple substations on the grid, several diesel generators, and backup batteries.
- **Uptime:** Continuous uptime monitoring, with immediate escalation to Purview staff for any downtime.
- **Failover:** Our database is log-shipped to standby servers and can failover in six to eight hours.

Network Security

- **Uptime:** Our data center provider provides continuous uptime monitoring with immediate escalation to Purview staff for any downtime. Purview also maintains independent monitoring systems. Uptime details are provided within this report.
- **Testing:** System functionality and design changes are verified in an isolated test “sandbox” environment and subject to functional and security testing prior to deployment to active production systems.
- **Firewall:** Firewall restricts access to specific ports and network destinations.
- **Intrusion Detection/Intrusion Prevention:** Intrusion detection systems and intrusion prevention systems detect, mitigate and/or prevent interference or access from outside intruders.
- **Patching:** Latest security patches are applied to all operating system and application files to mitigate newly discovered vulnerabilities.
- **Access Control:** Secure VPN, multifactor authentication, and role-based access is enforced for systems management by authorized engineering staff.
- **Logging and Auditing:** Central logging systems capture and archive all internal systems access including any failed authentication attempts.

Storage Security

- **Backup Redundancy:** All of the data we store is held in redundant arrays locally as well as backed up in other geographies.
- **Backup Frequency:** Verified backups occur continually throughout the day to multiple geographically disparate sites. Reports are issued daily on any exceptions that are generated.
- **Production Redundancy:** Data is stored on a ZFS file system. O/S stored on a RAID array.

Organizational & Administrative Security

- **Employee Screening:** We perform advance background screening for both criminal as well as healthcare fraud related violations on all employees.
- **Business Associate Agreements:** We encourage all of our healthcare organization customers that are covered entities to enter into our standard BAA agreement. Some organizations require that we execute an agreement customized to their requirements. None are less protection than our own.

- **Training:** We provide security and technology use training for employees. All of our employees undergo training and testing regarding HIPAA compliance.
- **Service Providers:** We screen our service providers and bind them under contract to appropriate confidentiality obligations if they deal with any user data.
- **Access:** Access controls to sensitive data in our databases, systems and environments are set on a need-to-know / least privilege necessary basis.
- **Audit Logging:** We maintain and monitor audit logs on our services and systems
- **Information Security Policies:** We maintain internal information security policies, including incident response plans, and regularly review and update them.

Software Development Practices

- **Stack:** We code in PHP and JavaScript and run on MySQL server, RedHat Linux, Ubuntu Linux and OS X.
- **Coding Practices:** Our engineers use best practices and industry-standard secure coding guidelines to ensure secure coding.

Handling of Security Breaches

Despite best efforts, no method of transmission over the Internet and no method of electronic storage is perfectly secure. We cannot guarantee absolute security. However, if Purview learns of a security breach, we will notify affected users so that they can take appropriate protective steps. Our breach notification procedures are consistent with our obligations under various state and federal laws and regulation, as well as any industry rules or standards that we adhere to. Notification procedures include providing email notices or posting a notice on our website if a breach occurs.

Client Responsibilities

Keeping your data secure also depends on you ensuring that you maintain the security of your account by using sufficiently complicated passwords and storing them safely. You should also ensure that you have sufficient security on your own systems, to keep any data you download to your own computer away from prying eyes.

Custom Requests

Due to the number of customers that use our service, specific security questions or custom security forms can only be addressed for customers purchasing a certain volume of imaging storage. To request additional information, a request will need to be made by E-mail:

support@purview.net

Or by postal mail:

Purview

Attn: Security Team
2001 Tidewater Colony Drive
Suite 203
Annapolis, MD 21401

Vulnerability Management Policy

Policy Statement

This policy and associated guidance cover the approach taken for vulnerability management to reduce infrastructure risks. In an effort to manage confidentiality, integrity, and availability of its solutions, Purview adopts procedures to ensure that all technical vulnerabilities that exist in the IT systems are identified and managed.

Scope

This policy applies to the computer assets – application servers and storage appliances – that Purview has allocated within its data centers.

Responsibilities

System and application administrators are responsible for assessment and application of security patches or fixes that impact systems under their management and supervision.

Technology

Vulnerability scanning tools are used to perform authenticated and unauthenticated checks. These tools evaluate patch levels, scan for configuration weaknesses, and identify software vulnerabilities on the application servers and the software running on them.

Process Summary

Vulnerability scans are executed twice a year with the possibility of having exceptional scans being executed when some critical vulnerability is identified by a third-party and it affects a hardware or software technology we rely on.

System and application administrators meet weekly to:

- (1) review and evaluate patches and vulnerability scan data.
- (2) assign priorities to vulnerabilities.
- (3) and determine what remediation tasks will be executed. Emergency meetings take place on an as needed basis to deal with urgent threats.

Privacy Shield

Purview respects your privacy. This Privacy Shield Notice (“**Notice**”) describes our standards and procedures for handling Personal Information transferred from the European Economic Area ("EEA") and Switzerland to the U.S. in accordance with Purview’s obligations under the EU-U.S. and Swiss-U.S. Privacy Shield Frameworks.

Purview complies with the EU-U.S. *Privacy Shield Framework and the Swiss-U.S. Privacy Shield Framework(s)* (Privacy Shield) as set forth by the U.S. Department of Commerce regarding the collection, use, and retention of personal information transferred from the *European Union, the United Kingdom and Switzerland*, as applicable to the United States in reliance on Privacy Shield. Purview has certified to the Department of Commerce that it adheres to the Privacy Shield Principles (“**Principles**”) with respect to such information. If there is any conflict between the terms in this privacy policy and the Privacy Shield Principles, the Privacy Shield Principles shall govern. To learn more about the Privacy Shield program, and to view our certification, please visit <https://www.privacyshield.gov/>. Our Privacy Shield certification can be found at <https://www.privacyshield.gov/list>.

For the purpose of this Notice, "**Personal Information**" means any data relating to an identified or identifiable individual, including, for example, name, address, telephone number and e-mail address, and "**processing**" means any operation performed on Personal Information, such as, for example, collection, use, management, consultation or disclosure. This Notice supplements our Purview Privacy Statement. Unless specifically defined in this Notice, the terms in this Notice have the same meaning as in our Privacy Statement. In case of conflict between this Notice and the Principles, the Principles will govern.

HOW WE OBTAIN PERSONAL INFORMATION

We obtain and process Personal Information from the EEA, the United Kingdom, and Switzerland in different capacities:

- As a data controller, we collect and process EEA , the United Kingdom, and Swiss Personal Information directly from individuals, either via our publicly available websites, including <https://www.purview.net> and <https://www.horosproject.org> or in connection with our customer, partner and vendor relationships.
- As an agent (as that term is used in the Principles), we obtain and process EEA, United Kingdom, and Swiss Personal Information on behalf of and under the instructions of our customers in connection with cloud services Purview provides ("**Cloud Services**"), such as Personal Health Information stored by customers using our Purview or Horos offerings. In that context, customers are the data controllers or agents and the roles and responsibilities of the parties for the processing of Personal Information are defined in our agreements with customers.

Purview commits to comply with the Principles with respect to all Personal Information received from the EEA, the United Kingdom, and Switzerland in reliance on the Privacy Shield.

PRIVACY SHIELD PRINCIPLES

1. **Notice** Purview's Privacy Statement in combination with this Notice describes our privacy practices with respect to Personal Information received from the EEA, the United Kingdom, and Switzerland in reliance on the Privacy Shield.
2. **Choice** When providing our Cloud Services, our customers or the individuals themselves can choose the types of Personal Information we process and the purposes of the processing. If provide by our customers, they are responsible for providing notice to individuals. In the event Personal Information is (i) to be used for a purpose that is materially different from the purposes for which the Personal Information was originally collected or subsequently authorized, or (ii) transferred to a third party acting as a data controller, individuals will be given, where practical and appropriate, an opportunity to opt out of having their Personal Information so used or transferred where it involves non-sensitive information. Where such use or transfer involves sensitive information, individuals must opt-in before such use or transfer.
3. **Data Integrity and Purpose Limitation** Any Personal Information we receive may be used by Purview for the purposes indicated in our Purview Privacy Statement or as otherwise notified to you. We will not process Personal Information in a way that is incompatible with these purposes unless subsequently authorized by you.

We take reasonable steps to limit the collection and usage of Personal Information to that which is relevant for the purposes for which it was collected, and to ensure that such Personal Information is reliable, accurate, complete and current. Individuals are encouraged to keep their Personal Information with Purview up to date and may contact Purview as indicated below or in the Purview Privacy Statement to request that their Personal Information be updated or corrected.

We will retain your Personal Information in an identifiable form only for the period necessary to fulfill the purposes outlined in the Purview Privacy Statement, unless a longer retention period is required or permitted by law or by the Principles. We will adhere to the Principles for as long as we retain the Personal Information collected under the Privacy Shield.

When providing our Cloud Services, we process and retain Personal Information as necessary to provide our services as permitted in our agreement with customers, or as required or permitted under applicable law.

4. **Accountability for Onward Transfer of Personal Information** Purview may transfer Personal Information for the purposes described in the Purview Privacy Statement to a third party acting as a data controller or as an agent. If we intend to disclose Personal Data to a third party acting as a data controller or as an agent we will comply with, and protect, Personal Information as provided in the Accountability for Onward Transfer Principle. When providing our Cloud Services we disclose Personal Information as provided in our agreement with customers.

We remain responsible for the processing of Personal Information received under the Privacy Shield and subsequently transferred to a third party acting as an agent if the agent processes such Personal Information in a manner inconsistent with the Principles, unless we prove that we are not responsible for the event giving rise to the damage.

5. **Security** Purview takes reasonable and appropriate precautions, taking into account the risks involved in the processing and the nature of the Personal Information, to help protect Personal Information from loss, misuse and unauthorized access, disclosure, alteration and destruction.
6. **Access** Where appropriate, individuals have reasonable access to their Personal Information and may request corrections, deletions, or additions where the Personal Information is inaccurate or has been processed in violation of the Principles. We may limit or deny access to Personal Information where providing such access is unreasonably burdensome or expensive under the circumstances, or as otherwise permitted by the Principles. You may request access to your Personal Information by contacting us as described below.

When providing our Cloud Services, we only process and disclose the Personal Information as specified in our agreements with your or our customers. Our customer controls how Personal Information is disclosed to us and processed, and how it can be modified. Accordingly, if you want to request access, or to limit use or disclosure of your Personal Information, please contact either us or the company to which you submitted your Personal Information and that uses our Cloud Services. If you contact us with the name of our customer to which you provided your Personal Information, we will refer your request to that customer and support them in responding to your request.

7. **Recourse, Enforcement and Liability** Purview has established procedures to periodically verify implementation of and compliance with the Principles. Purview conducts an annual self-assessment of its practices regarding Personal Information intended to verify that the assertions Purview makes about its practices are true and that such practices have been implemented as represented.

Purview is subject to the investigatory and enforcement powers of the FTC, the Department of Transportation or any other U.S. authorized statutory body that is

designated as such in the future. We may be subject to the requirement to disclose personal information in response to lawful requests by public authorities, including those necessary to meet national security or law enforcement requirements.

In case of disputes, individuals are able to seek resolution of their questions or complaints regarding the processing of their Personal Information in accordance with the Principles. If an individual feels that Purview is not abiding by this Notice or is not in compliance with the Principles, he or she should first contact Purview at the contact information provided below.

If an issue cannot be resolved through Purview's internal dispute resolution mechanism, you may submit a complaint to JAMS, which provides, at no cost to you, an independent third-party dispute resolution option based in the U.S. To contact JAMS and/or learn more about the company's dispute resolution services, including instructions for submitting a complaint, please visit here:

<https://www.jamsadr.com/eu-us-privacy-shield>.

For residual complaints not fully or partially resolved by other means, you may be able to invoke binding arbitration as detailed in the Principles available here:

<https://www.privacyshield.gov/article?id=ANNEX-I-introduction>.

Amendment This Notice may be amended consistent with the requirements of the EU-U.S., United Kingdom-US, and Swiss-U.S. Privacy Shield Frameworks. When we update this Notice, we will also revise the "Last Updated" date at the top of this document.

Questions or complaints. If you have any questions, concerns or complaint regarding our privacy practices, or if you'd like to exercise your choices or rights, you can contact us:

- By email at support@purview.net
- Via our contact form available [here](#)
- by mailing to Purview, Attn: Compliance; 2001 Tidewater Colony Drive, Suite 203, Annapolis, MD 21401

In addition, Purview is also committed to compliance with GDPR, HIPAA and other relevant privacy regulations. Our privacy policy, which is available for public view at our web site: <https://www.purview.net> or upon request via email or US Postal Service describes how Purview manages personal information, notifies parties when there is a suspected breach of that privacy, enables individuals to choose whether their personal information is retained by us, enables access and the correction of such individual's personal information which we store, and states our accountability for breaches of such privacy, when you use its services (the "Services"), including information provided when you use Purview.net. This policy applies to the data collected and stored by Purview in providing its services.

Purview only stores data necessary to enable health care professionals to diagnose and compare medical information for appropriate prevention and treatment. We are committed to ensuring that all personal information we store is accessible to those individuals to ensure the accuracy thereof and to enable them to choose if they would like us to remove this information from our storage or limit access to such information.

The personal information we store is only available to authorized health care professionals with whom that person has a professional relationship. We do not disclose nor share this data with anyone else, unless it has been completely anonymized and de-identified and then only for aggregating information or statistics that will aid health care professionals to identify improved treatment and better healthcare outcomes.

Should an individual wish to contact us for access, removal or limitation of sharing, they may contact our Chief Security Officer at +1 800-501-1537, info@purview.net, or at our offices at 2001 Tidewater Colony Drive, Suite 203, Annapolis, Maryland 20401 USA.

Any disputes that may arise with regard to our handling of an EU or Swiss citizen's private individual data should first be submitted to Purview for immediate resolution. Under the Privacy Shield Principles, any complaints that remain unresolved by Purview will be referred to JAMS, an independent dispute resolution mechanism located in the United States. Individuals whose complaints have not been satisfactorily addressed by Purview can visit JAMS' website at <https://www.jamsadr.com/eu-us-privacy-shield> for details on how to file a complaint. This recourse mechanism is free of charge to individuals. As a last resort, complaints that remain unresolved after pursuing these recourse mechanisms may be subject to binding arbitration.

Data Security

Purview uses secure communications to transfer all information, including protected health information (PHI) and images from the provider to the Purview servers and to any user with access privileges. All data is encrypted using the same security level as (or better) used by financial institutions online.

We use a variety of security technologies and procedures to help protect your patient information from unauthorized access, use, and disclosure. For example, we store the personal information you provide on computer servers with limited access, and located in physically controlled facilities.

Additionally:

- All non-image communications with the Services are sent using encryption (HTTPS with 128-bit SSL).
- All clinical images communicated from imaging facilities or to users are encrypted using a 168-bit 3DES algorithm.
- In addition to encrypting data while in use, Purview optionally encrypts data at rest for its customers.
- Patients who visit a Participating Provider must register for access to Purview using a unique access code and verifying key demographic information.
- A patient can share his or her healthcare information with their healthcare provider with Purview using two methods:
 - (a) Information can be shared with a healthcare provider. If the healthcare provider is not already a registered user of Purview, they will receive an invitation. The provider will be required to provide personal information about that patient (DOB, Patient ID, Name) in order to confirm access.
 - (b) Information can be accessed without creating a Purview account. A healthcare provider must enter the unique access code provided to the patient and verify key personal information pertaining to the patient.

We request all clients alert us, if at any time, they obtain access information that is not theirs. By emailing support@purview.net we are better able to identify potential issues with incorrect access privileges. This identification also allows Purview, if required, to notify appropriate parties of a HIPAA or GDPR violation.

How We Use Patient Data

We use patient information collected through the Services, including health information, to provide the Services, and as described in this privacy statement. Purview may access and/or disclose patient information if we believe such action is necessary to comply with the law or formal legal process served on Purview or in urgent circumstances to protect the personal safety and welfare of users of Purview services or members of the public.

From time to time we may aggregate patient information anonymously to analyze and compare conditions and outcomes among a grouped population sufficient to protect individual information. No Patient Health Information will be disclosed in such aggregation.

Patient information collected on the Services is typically stored and processed in the United States. Some of our customers restrict the location of their data to be stored and maintained within the United States. However, unless specifically agreed upon, Purview may store patient data in any other country in which Purview or its affiliates, subsidiaries, or agents maintains facilities, and by using the Services, the provider and patient consent to any such transfer of information outside of the U.S.

E-Mail Controls

To keep users informed of the latest improvements, the Service may send you an electronic notification. If you do not want to receive the notification, you can unsubscribe through a link at the bottom of the notice. Purview uses your email address and password to protect your account from unauthorized access, it is important to not provide other users with this information.

Use of Cookies

We use cookies with the Services to enable sign-in and to help personalize the Services. A cookie is a small text file that is placed on the hard drive by a web page server. Cookies cannot be used to run programs or deliver viruses to your computer. Cookies are uniquely assigned to users, and can be read only by a web server in the domain that issued the cookie to the user.

Users have the ability to accept or decline cookies. Most web browsers automatically accept cookies, but users can usually modify their browser setting to decline some or all cookies, if they prefer. If users choose to decline all cookies, they may not be able to use interactive features of Purview's or other web sites that depend on cookies.

Use of Web Beacons

Purview's web pages may contain electronic images known as web beacons – sometimes called single-pixel gifs – that may be used for the following purposes:

- to assist in delivering cookies on our sites
- to enable us to count users who have visited those pages
- to deliver co-branded services.

We may include web beacons in promotional e-mail messages or in our notifications in order to determine whether messages have been opened and acted upon.

Purview may also employ web beacons from third parties to help us compile aggregated anonymous statistics and determine the effectiveness of our promotional campaigns. We strictly prohibit web beacons on our sites from being used by third parties to collect or access patient information.

Changes to this Privacy Policy

We may occasionally update this Privacy Policy. When we do, we will also revise the “last updated” date at the bottom of the Privacy Policy. For material changes to this Privacy Policy, we will notify you either by placing a prominent notice on the home page of the Purview web sites or by sending you a notification directly. We encourage you to periodically review this Privacy Policy to stay informed about how we are helping to protect the personal information we collect. Your continued use of the Services constitutes your agreement to this Privacy Policy and any updates.


Contact Information

Purview welcomes your comments regarding this Privacy Policy. If you have questions about this policy or believe we have not adhered to it, please contact us via email at support@purview.net

Purview

Attn: Security Team
2001 Tidewater Colony Drive, Suite 203
Annapolis, MD 21401

Purview Data Flow Diagram



Attachment A

Independent Service Auditors' Report for Purview Datacenters

(Available on Request
with appropriate NDA)

Attachment B

Viewer Certifications & Approvals

Purview provides access to medical images using a zero-footprint client, eUnity, on web and mobile devices. The manufacturer of the eUnity client is Client Outlook, Inc.

An active listing of applications and certifications by Client Outlook can be located by going to the particular document pertaining to those FDA approvals are included, herein.

Notifications & Certifications

| Device Name | Applicant | Country | Number | Decision Date |
|-------------|----------------|-----------|--------------|---------------|
| eUnity | Client Outlook | USA | K161515 | 2016-11-15 |
| eUnity | Client Outlook | USA | K172490 | 2018-02-06 |
| eUnity | Client Outlook | Australia | MDSAP 694719 | 2019-05-16 |
| eUnity | Client Outlook | Canada | 82928 | 2017-11-23 |
| eUnity | Client Outlook | Canada | FM 677413 | 2019-04-28 |
| eUnity | Client Outlook | Canada | CE 679014 | 2018-08-01 |
| eUnity | Client Outlook | EU | 679014 | 2016-07-08 |

Client Outlook FDA Approvals

Purview provides access to medical images using a zero-footprint client, eUnity, on web and mobile devices. The manufacturer of the eUnity client is Client Outlook. Client Outlook has obtained the attached FDA approvals for its web-based client software. Details pertaining to



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
10903 New Hampshire Avenue
Document Control Center - WO66-G609
Silver Spring, MD 20993-0002

Client Outlook Inc.
% Ms. Christie Eby
Director of Operations and Quality
103 Bauer Place, Suite #3
Waterloo, Ontario, N2L6B5
CANADA

November 15, 2016

Re: K161515
Trade/Device Name: eUnity
Regulation Number: 21 CFR 892.20.50
Regulation Name: Picture archiving and communications system
Regulatory Class: II
Product Code: LLZ
Dated: October 17, 2016
Received: October 18, 2016

Dear Ms. Eby:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

those FDA approvals are included, herein.

Page 2— Ms. Christie Eby

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Division of Industry and Consumer Education at its toll-free number (800) 638 2041 or (301) 796-7100 or at its Internet address

<http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to

<http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Industry and Consumer Education at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address

<http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,



For

Robert Ochs, Ph.D.
Director
Division of Radiological Health
Office of In Vitro Diagnostics
and Radiological Health
Center for Devices and Radiological Health

Enclosure



Client Outlook Inc.
Christie Eby
Director of Operations & Quality
103 Bauer Place, Suite #3
Waterloo, ON N2T 2V2
CANADA

February 6, 2018

Re: K172490
Trade/Device Name: eUnity
Regulation Number: 21 CFR 892.2050
Regulation Name: Picture Archiving And Communications System
Regulatory Class: Class II
Product Code: LLZ
Dated: January 2, 2018
Received: January 4, 2018

Dear Christie Eby:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the [Federal Register](#).

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820);

U.S. Food & Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
www.fda.gov

and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

For comprehensive regulatory information about medical devices and radiation-emitting products, including information about labeling regulations, please see Device Advice (<https://www.fda.gov/MedicalDevices/DeviceRegulationandGuidance/>) and CDRH Learn (<http://www.fda.gov/Training/CDRHLearn>). Additionally, you may contact the Division of Industry and Consumer Education (DICE) to ask a question about a specific regulatory topic. See the DICE website (<http://www.fda.gov/DICE>) for more information or contact DICE by email (DICE@fda.hhs.gov) or phone (1-800-638-2041 or 301-796-7100).

Sincerely,

 For

Robert A. Ochs, Ph.D.
Director
Division of Radiological Health
Office of In Vitro Diagnostics
and Radiological Health
Center for Devices and Radiological Health

Enclosure

| | |
|---|---|
| DEPARTMENT OF HEALTH AND HUMAN SERVICES Food and Drug Administration Indications for Use | Form Approved: OMB No. 0910-0120 Expiration Date: 06/30/2020 See PRA Statement below. |
|---|---|

510(k) Number (if known)
K172490

Device Name
eUnity

Indications for Use (Describe)

eUnity is a software application that displays medical image data and associated clinical reports to aid in diagnosis for healthcare professionals. It performs operations relating to the transfer, storage, display, and measurement of image data.

eUnity allows users to perform image manipulations, including window/level, rotation, measurement and markup. eUnity provides 2D display, Multi-Planar Reformating and 3D visualization of medical image data, and mobile access to images.

eUnity displays both lossless and lossy compressed images. For lossy images, the medical professional user must determine if the level of loss is acceptable for their purposes. Display monitors or mobile devices used for reading medical images for diagnostic purposes must comply with applicable regulatory approvals and with quality control requirements for their use and maintenance. For mobile diagnostic usage when a full workstation is not available.

Mobile usage for mammography is for reference and referral only.

Type of Use (Select one or both, as applicable)

☒ Prescription Use (Part 21 CFR 801 Subpart D)

☐ Over-The-Counter Use (21 CFR 801 Subpart C)

CONTINUE ON A SEPARATE PAGE IF NEEDED.

This section applies only to requirements of the Paperwork Reduction Act of 1995.

DO NOT SEND YOUR COMPLETED FORM TO THE PRA STAFF EMAIL ADDRESS BELOW.

The burden time for this collection of information is estimated to average 79 hours per response, including the time to review instructions, search existing data sources, gather and maintain the data needed and complete and review the collection of information. Send comments regarding this burden estimate or any other aspect of this information collection, including suggestions for reducing this burden, to:

Department of Health and Human Services
Food and Drug Administration
Office of Chief Information Officer
Paperwork Reduction Act (PRA) Staff
PRAStaff@fda.hhs.gov

"An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB number."

This 510(k) summary is submitted in accordance with the requirements of 21 CFR Part 807.92(c)

| | |
|------------------------------------|---|
| Basis for the submission: | Client Outlook hereby submits this traditional 510(k) submission for eUnity software which is substantially equivalent to the FDA cleared previous version of eUnity Software (k161515) |
| Submitter: | Client Outlook Inc. 103 Bauer Place, Suite #3 Waterloo, Ontario Canada N2L 6B5 |
| Date: | August 14, 2017 |
| Establishment Registration: | 3009601121 |
| Contact: | Christie Eby, Director of Operations & Quality Tel: 519-342-3049 x206 Fax: 519-725-2351 |
| Trade Name: | eUnity |
| Common Name: | Medical Image Processing Software |
| Classification: | Picture Archiving and Communications Software (PACS) |
| Product Code: | LLZ |
| Device Class: | Class II |
| Regulation #: | 21 CFR 892.2050 |
| Device Panel: | Radiology |

Predicate Devices:

| Trade Name | 510 (k) Submitter/ Manufacturer | 510 (k) number |
|------------|---------------------------------|----------------|
| eUnity | Client Outlook Inc. | K161515 |

Reference Predicate Devices:

| Trade Name | 510 (k) Submitter/ Manufacturer | 510 (k) number |
|---------------|---------------------------------|----------------|
| Resolution MD | Calgary Scientific | K161130 |
| Vue Motion | Carestream | K151774 |

Device Description:

Client Outlook has developed eUnity to load, display and manipulate medical (DICOM) images within a web-browser without installing client software. eUnity is a server-based software solution that extends common web-browsers on the most popular operating systems into medical review stations; removing a technical barrier that had long been a key contributor to poor medical image access.

eUnity is an enterprise medical image viewer that provides access to full quality images from anywhere using nothing more than a standard web browser. Combined with a calibrated monitor, it can be used to make diagnostic decisions. Secure, fast, immediate access to information means less time spent

searching for specialized workstations and supports greater efficiency for care, greater collaboration, and faster turnaround times.

This device is the successor to eUnity predicate (K161515) and adds the following functionality: MIP/MPR/3D and Mobile Diagnostic Use.

The following devices are validated for use with eUnity for Mobile:

iPhone version 6 and higher versions, iPad Mini and higher versions, iPad pro and higher versions, Samsung Galaxy Note 5 and higher versions, and Samsung Galaxy Tab E and higher versions.

Intended Use:

Client Outlook's eUnity enables health professionals to access, manipulate and collaborate real-time over full quality medical images using any web-browser without installing client software. eUnity is a server-based solution that connects to any PACS and displays DICOM images within the hospital, securely from remote locations, or as an integrated part of an EHR or portal. eUnity offers diagnostic quality images with the performance of installed PACS viewing software.

Indications for Use:

eUnity is a software application that displays medical image data and associated clinical reports to aid in diagnosis for healthcare professionals. It performs operations relating to the transfer, storage, display, and measurement of image data.

eUnity allows users to perform image manipulations, including window/level, rotation, measurement and markup.

eUnity provides 2D display, Multi-Planar Reformatting and 3D visualization of medical image data, and mobile access to images.

eUnity displays both lossless and lossy compressed images. For lossy images, the medical professional user must determine if the level of loss is acceptable for their purposes. Display monitors or mobile devices used for reading medical images for diagnostic purposes must comply with applicable regulatory approvals and with quality control requirements for their use and maintenance. For Mobile diagnostic usage only when a full workstation is not available.

Mobile usage for mammography is for reference and referral only.

Patient Interaction:

eUnity is a software device that handles medical images. It does not contact the patient, nor control any life sustaining devices. Prior to any medical decisions, a licensed medical practitioner reviews the output, providing ample opportunity for competent human intervention for the interpretation of images and information being displayed.

Comparison to predicate devices CHART:

| System, Image Processing, Radiological | | | | |
|--|---|---|--|---|
| Category | Client Outlook 'eUnity' | A) Predicate Client Outlook 'eUnity' | B) Calgary Scientific ResolutionMD Mobile | C) Carestream Vue Motion |
| 510K | | K161515 | K133508 | K151774 |
| Class | Class II | Class II | Class II | Class II |
| Intended Use – for full descriptions – see appendices | | | | |
| Intended Use | Diagnostic Quality | Diagnostic Quality | Diagnostic Quality | Diagnostic Quality |
| User Install Requirements | Thin Client - no install, runs within browser | Thin Client - no install, runs within browser | Thin Client - no install, runs within browser | Thin Client - no install, runs within browser |
| Communications | DICOM, IHE, Non-DICOM | DICOM, IHE | DICOM, Non-DICOM | DICOM, Non-DICOM |
| Modalities | CR, CT, DX, ECG, MR, MG, NM, OP, PR, PT, RF, SC, SR, US, XA, VL | CR, CT, DX, ECG, MR, MG, NM, OP, PR, PT, RF, SC, SR, US, XA, VL | CT, MR, CR, DX, ES, KO, NM, OP, OT, PT, SC, US, XA, IO, XC, RTIMAGE, OPT, SR, RF | CR, DR, CT, MR, NM, ECG, US |
| Tools | | | | |
| Window Level, Rotate/Pan/Zoom, Reset, Presets, Invert | yes | yes | yes | yes |
| Multi-Study viewing, Image printing, Report Printing, Image Export | yes | yes | yes | yes |

| | | | | |
|--|-----|-----|-----|-----|
| Metadata display/show | yes | yes | yes | yes |
| Orientation labels, Keyboard shortcuts, | yes | yes | yes | yes |
| Measurement tools, Annotation tools (Line, Arrow, Polygon, Freehand, Text) | yes | yes | yes | yes |
| Full-screen mode, Collaboration, Multimonitor, Linking Series, Revert to Original, Image Sharing, Triangulation, Image scrolling, Layouts, Linked scrolling, Reference lines, Image flip and rotate, Image measurements, | yes | yes | yes | yes |
| Grayscale softcopy presentation states (GSPS) | yes | yes | yes | yes |
| KIN | yes | yes | yes | yes |
| Mag lens | yes | yes | yes | yes |
| MIP/MPR/3D Features: | | | | |

| | | |
|-------------------------------------|-----------------------------------|----------|
| Client Outlook [™] Inc. | 510(k) Summary Document – eUnity™ | Approved |
|-------------------------------------|-----------------------------------|----------|

| | | | | |
|--|---|---|---|---|
| Multi-Planar reformat (MPR) | yes | no | yes | yes |
| Maximum Intensity Projection (MPR) | yes | no | yes | yes |
| Oblique and double-oblique reformat, Triangulate, Rotate | yes | no | yes | yes |
| 3D Volume, orientation widget, Opacity preset, Scalpel Tool, Bone Removal | yes | no | yes | yes |
| Mobile Specific Features: | | | | |
| Mobile Luminance Check(test to be performed by user to determine lighting conditions prior to diagnosis) | yes | no | yes | yes |
| Security | | | | |
| Data Encryption | HTTPS | HTTPS | HTTPS | HTTPS |
| Data Security | Stored on Server | Stored on Server | Stored on Server | Stored on Server |
| Access Control | Can either use built in access control or when launched from parent application can | Can either use built in access control or when launched from parent application can | Can either use built in access control or when launched from parent application | Can either use built in access control or when launched from parent application |

| | | |
|-------------------------------------|-------------------------------------|----------|
| Client Outlook [™] Inc. | 510(k) Summary Document – eUnity TM | Approved |
|-------------------------------------|-------------------------------------|----------|

| | | | | |
|--|-------------------------------|-------------------------------|-----------------------------------|-----------------------------------|
| | utilize its access control | utilize its access control | can utilize its access control | can utilize its access control |
|--|-------------------------------|-------------------------------|-----------------------------------|-----------------------------------|

Summary of Testing and conclusion

As required by the Risk Analysis, designated individuals performed all verification and validation activities and results demonstrated that the device meets its design requirements and intended use, and that it is safe and effective. Verification testing executed by multiple team members included functional, smoke and regression tests and was complimented by beta tests performed by Client Outlook partners and Validation in test systems at customer sites.

Additional Clinical Validation testing based on typical clinical workflows was performed by trained radiologists in comparison with an existing device and on several different hardware devices. Refer to the Validation Summaries in Section 12 for additional information. There was consensus among all the Radiologists that the same diagnosis would be made on the mobile device with eUnity as on the predicate device in various lighting conditions.

Conclusion:

The Intended use and technological characteristics of the Client Outlook eUnity software are substantially equivalent, in our opinion, to those of the predicate device and reference devices and do not pose any new issues of safety and effectiveness. The device and the predicates are post-processing and provide the same or similar essential features of visualization of radiological data on mobile devices.

The modified eUnity device offers the same functionality as the K161515 eUnity device with the addition of the Mobile enhanced capabilities and 3D viewing capabilities that are found in the Reference Predicate device.



By Royal Charter

Certificate of Registration

QUALITY MANAGEMENT SYSTEM - ISO 13485:2016

This is to certify that:

Client Outlook Inc.
103 Bauer Place
Suite 3
Waterloo
Ontario
N2L 6B5
Canada

DUNS Number: 07-841-0742

Holds Certificate No:

MDSAP 694719

Statement of Conformity: The company listed on this certificate has been audited to and found to conform with the following criteria: ISO 13485:2016 and Australia - Therapeutic Goods (Medical Devices) Regulations, 2002, Schedule 3 Part 1 (excluding Part 1.6) - Full Quality Assurance Procedure; Canada - Medical Devices Regulations - Part 1 - SOR 98/282; USA - 21 CFR 820, 21 CFR 803, 21 CFR 806, 21 CFR 807 - Subparts A to D

The design and development, manufacture, installation and service of Picture Archiving Computer Systems (PACS) and medical image display software that supports clinicians and other health professionals while viewing medical images in clinical areas such as cardiology, dentistry, ENT, gastroenterology, neurology, obstetrics and gynaecology, ophthalmology, orthopaedics, urology and radiology.



For and on behalf of BSI:

Stewart Brain, Head of Compliance & Risk - Medical Devices

Original Registration Date: 2019-05-16

Effective Date: 2019-05-16

Expiry Date: 2022-04-27



BSI Group America Inc. is an MDSAP authorized auditing organization

Page: 1 of 1

...making excellence a habit™



Santé Health
Canada Canada

LN/NH: 83928

Therapeutic Products Directorate
Medical Devices Bureau
Direction des produits thérapeutiques
Bureau des matériels médicaux

Medical Device Licence

Homologation d'un instrument médical

* AMENDED *

* MODIFIÉE *

Licence Number: 83928
First Issue Date: 2010/09/14
Amended Date: 2017/11/23

No d'homologation:
Première date de délivrance:
Date de modification:

Device Class/Classe de l'instrument: 2

This Licence is issued in accordance with the
Medical Devices Regulations, Section 36,
for the following medical device:

La présente homologation est délivrée en vertu
de l'article 36 du Règlement sur les instruments
médicaux pour l'instrument médical suivant:

Licence Name/Nom de l'homologation:

EUNITY

Licence Type/Type d'homologation:

Group / Groupe

Reason for Amendment/Raison de la modification

CHANGE OF INTENDED USE AND ADDITION AND DELETION OF CATALOGUE NUMBERS

Manufacturer Name & Address/Nom du fabricant & adresse

CLIENT OUTLOOK INC.

103 BAUER PLACE
SUITE 3
WATERLOO, ONTARIO
CANADA
N2L 6B5

Carey Agnew, A/Director, Medical Devices Bureau/Directrice intérimaire, Bureau des matériels médicaux



Application Number: 275330
Numéro de la demande:

Manufacturer ID: 132171
Identificateur du fabricant:



Santé Health
Canada Canada

LN/NH: 83928

Therapeutic Products Directorate
Medical Devices Bureau
Direction des produits thérapeutiques
Bureau des matériels médicaux

Components/Parts/Accessories/Devices for this Licence
Les composantes, parties, accessoires et instruments médicaux pour cette homologation

EUNITY

Device ID/No de l'instrument: 554828

Device Identifier / Identificateur de l'instrument
(Model/Catalog Detail/No de modèle/Catalogue):

01

Application Number: 275330
Numéro de la demande:

Page 2

Manufacturer ID: 132171
Identificateur du fabricant:



By Royal Charter

Certificate of Registration

QUALITY MANAGEMENT SYSTEM - ISO 13485:2016

This is to certify that:

Client Outlook Inc.
103 Bauer Place
Suite 3
Waterloo
Ontario
N2L 6B5
Canada

Holds Certificate No:

FM 677413

and operates a Quality Management System which complies with the requirements of ISO 13485:2016 for the following scope:

The design and development, manufacture, installation and service of Picture Archiving Computer Systems (PACS) and medical image display software that supports clinicians and other health professionals while viewing medical images in clinical areas such as cardiology, dentistry, ENT, gastroenterology, neurology, obstetrics and gynaecology, ophthalmology, orthopaedics, urology and radiology.



For and on behalf of BSI:

Stewart Brain, Head of Compliance & Risk - Medical Devices

Original Registration Date: 2010-04-28

Effective Date: 2019-04-28

Latest Revision Date: 2019-04-09

Expiry Date: 2022-04-27



Page: 1 of 1

...making excellence a habit.™



By Royal Charter

EC Certificate - Full Quality Assurance System

Directive 93/42/EEC on Medical Devices, Annex II excluding Section 4

No.

CE 679014

Issued To:

**Client Outlook Inc.
103 Bauer Place
Suite 3
Waterloo
Ontario
N2L 6B5
Canada**

In respect of:

Design and manufacture of medical image display software including MIP/MPR/3D reconstruction

on the basis of our examination of the quality assurance system under the requirements of Council Directive 93/42/EEC, Annex II excluding section 4. The quality assurance system meets the requirements of the directive. For the placing on the market of class III products an Annex II section 4 certificate is required.

For and on behalf of BSI, a Notified Body for the above Directive (Notified Body Number 2797):



Albert Roossien, Regulatory Lead

First Issued: **2018-08-01**

Date: **2019-03-05**

Expiry Date: **2023-07-31**

...making excellence a habit.™

Page 1 of 2



By Royal Charter

EC Certificate - Full Quality Assurance System

Supplementary Information to CE 679014

Issued To:

Client Outlook Inc.
103 Bauer Place
Suite 3
Waterloo
Ontario
N2L 6B5
Canada

| Class IIa Devices | |
|-------------------|-------------|
| Number | Device Name |
| MD1111 | eUnity |

First Issued: **2018-08-01**

Date: **2019-03-05**

Expiry Date: **2023-07-31**

...making excellence a habit™

Page 2 of 2



By Royal Charter

EC Certificate - Full Quality Assurance System

Directive 93/42/EEC on Medical Devices, Annex II excluding Section 4

List of Significant Subcontractors

Recognised as being involved in services relating to the product covered by:

Certificate No: **CE 679014**
 Date: **2019-03-05**
 Issued To: **Client Outlook Inc.**
103 Bauer Place
Suite 3
Waterloo
Ontario
N2L 6B5
Canada

Subcontractor:

Emergo Europe B.V.
 Prinsessegracht 20
 The Hague
 2514 AP
 The Netherlands

Service(s) supplied

EU Representative

...making excellence a habit.™



By Royal Charter

EC Certificate - Full Quality Assurance System Certificate History

Certificate No: **CE 679014**
 Date: **2019-03-05**
 Issued To: **Client Outlook Inc.
 103 Bauer Place
 Suite 3
 Waterloo
 Ontario
 N2L 6B5
 Canada**

| Date | Reference Number | Action |
|----------------|------------------|-----------------------|
| 01 August 2018 | 8784092 | First issue. |
| Current | 8953218 | Traceable to NB 0086. |

...making excellence a habit.™

Page 1 of 1

Declaration of Conformity

| PRODUCT IDENTIFICATION | |
|------------------------|--------------|
| Product name | Model/number |
| eUnity | Version 6.0 |

| MANUFACTURER | | |
|-----------------|--|----------------|
| Name of company | Address | Representative |
| Client Outlook | 103 Bauer Place Suite #3 Waterloo, Ontario Canada N2L 6B5 | Christie Eby |

| AUTHORIZED REPRESENTATIVE | | |
|---------------------------|--|---|
| Name of company | Address | Telephone/email |
| Emergo Europe | Prinsessegracht 20 2514 AP The Hague The Netherlands | +31.70.345.8570 - phone +31.70.346.7299 - fax EmergoEurope@ul.com |

| NOTIFIED BODY | |
|------------------------|-----------------------|
| Notified Body and ID # | CE certificate number |
| BSI, 0086 | 679014 |

| CONFORMITY ASSESSMENT | | |
|-----------------------|--|-------------------|
| Device classification | Route to compliance | Standards applied |
| Class IIa Rule 12 | Annex VII of MDD 93/42/EEC Council Directive | ISO 13485:2003 |

Client Outlook declares that the above mentioned products meet the provision of the Council Directive 93/42/EEC for Medical Devices and Directive 93/42/EEC as transposed in the national laws of the Member States.

COMPANY REPRESENTATIVE: Steve Rankin

TITLE: President and CEO

SIGNATURE:



DATE: 07/08/2016



Australian Government
Department of Health
Therapeutic Goods Administration

Australian Register of Therapeutic Goods Certificate

Issued to

Emergo Asia Pacific Pty Ltd T/a Emergo Australia

for approval to supply

Emergo Asia Pacific Pty Ltd T/a Emergo Australia - Radiology picture archiving and communication system application software

| | |
|-------------------------|---|
| ARTG Identifier | 309139 |
| ARTG Start date | 10/09/2018 |
| Product Category | Medical Device Included Class IIa |
| GMDN | 41670 |
| GMDN Term | Radiology picture archiving and communication system application software |
| Intended Purpose | <p>The device is a software application that displays medical image data and associated clinical reports. It performs operations relating to the transfer, storage, display, and measurement of image data. It allows users to perform image manipulations, including window/level, rotation, zoom, measurement, MIP/MPR/3D and markup. It displays both lossless and lossy compressed images. For lossy images, the medical professional user must determine if the level of loss is acceptable for their purposes. Display monitors used for reading medical images for diagnostic purposes must comply with applicable regulatory approvals and with quality control requirements for their use and maintenance.</p> |

| Manufacturer Details | Address | Certificate number(s) |
|----------------------|---|-----------------------|
| Client Outlook Inc | 103 Bauer Place Suite 3 Waterloo, Ontario, N2L 6B5 Canada | DV-2018-MC-15261-1 |

ARTG Standard Conditions

The above Medical Device Included Class IIa has been entered on the Register subject to the following conditions:

- The inclusion of the kind of device in the ARTG is subject to compliance with all conditions placed or imposed on the ARTG entry. Refer Part 4-5, Division 2 (Conditions) of the Therapeutic Goods Act 1989 and Part 5, Division 5.2 (Conditions) of the Therapeutic Goods (Medical Devices) Regulations 2002 for relevant information.
- Breaching conditions of the inclusion related to the device of the kind may lead to suspension or cancellation of the ARTG entry; may be a criminal offence; and civil penalties may apply.

Products Covered by This Entry

1. Radiology picture archiving and communication system application software

Product Specific Conditions

No specific conditions have been recorded against this entry.

Therapeutic Goods Administration
PO Box 100, Woden ACT 2606 Australia
Phone: 1800 020 653
Email: info@tga.gov.au

ARTG Identifier: 309139
ARTG Start Date: 10/09/2018

Attachment C

Purview Data Center

July 2018 Through June 2019

Downtime Report

Hostgroup '01 host-01a dicom' Host State Breakdowns:

[illegible]

Hostgroup '04 host-04 dicom' Host State Breakdowns:

| Host | % Time Up | % Time Down | % Time Unreachable | % Time Undetermined |
|---------|---------------------|-----------------|--------------------|---------------------|
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Hostgroup '05 host-05 dicom' Host State Breakdowns:

| Host | % Time Up | % Time Down | % Time Unreachable | % Time Undetermined |
|-------------|---------------------|-----------------|--------------------|---------------------|
| 10.10.10.10 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Hostgroup '06 host-06 dicom' Host State Breakdowns:

| Host | % Time Up | % Time Down | % Time Unreachable | % Time Undetermined |
|---------|---------------------|-----------------|--------------------|---------------------|
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Hostgroup '07 host-07 dicom' Host State Breakdowns:

| Host | % Time Up | % Time Down | % Time Unreachable | % Time Undetermined |
|---------|---------------------|-----------------|--------------------|---------------------|
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Hostgroup '08 host-08 dicom' Host State Breakdowns:

| Host | % Time Up | % Time Down | % Time Unreachable | % Time Undetermined |
|---------|---------------------|-----------------|--------------------|---------------------|
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Hostgroup '09 host-09 dicom' Host State Breakdowns:

| Host | % Time Up | % Time Down | % Time Unreachable | % Time Undetermined |
|---------|---------------------|-----------------|--------------------|---------------------|
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Hostgroup '10 host-10 dicom' Host State Breakdowns:

[illegible]

Hostgroup '11 host-11 dicom' Host State Breakdowns:

[illegible]

Hostgroup '12 instancevm-01 dicom' Host State Breakdowns:

[illegible]

| | | | | |
|---------|---------------------|-----------------|-----------------|--------|
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Hostgroup '20 cmi-dicom' Host State Breakdowns:

| Host | % Time Up | % Time Down | % Time Unreachable | % Time Undetermined |
|---------|---------------------|-----------------|--------------------|---------------------|
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Hostgroup '23 host1 dicom' Host State Breakdowns:

| Host | % Time Up | % Time Down | % Time Unreachable | % Time Undetermined |
|---------|---------------------|-----------------|--------------------|---------------------|
| | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Hostgroup '33 misc dicom' Host State Breakdowns:

| Host | % Time Up | % Time Down | % Time Unreachable | % Time Undetermined |
|----------|---------------------|-----------------|--------------------|---------------------|
| Mover-01 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Mover-03 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Hostgroup '36 linux-servers' Host State Breakdowns:

| Host | % Time Up | % Time Down | % Time Unreachable | % Time Undetermined |
|---------------------------|---------------------|-----------------|--------------------|---------------------|
| femur | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| femur-aus | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| mandible | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| radius | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-01a | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-06 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-07 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-08 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-09 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-10 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-11 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-instancevm-01 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| talus | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| talus-aus | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

| | | | | |
|---------|---------------------|-----------------|-----------------|--------|
| view-02 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| view-04 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| view-06 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| view-07 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Hostgroup '40 https-servers' Host State Breakdowns:

| Host | % Time Up | % Time Down | % Time Unreachable | % Time Undetermined |
|---------|---------------------|-----------------|--------------------|---------------------|
| view-07 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Hostgroup '43 http-servers' Host State Breakdowns:

| Host | % Time Up | % Time Down | % Time Unreachable | % Time Undetermined |
|----------|---------------------|-----------------|--------------------|---------------------|
| mandible | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| radius | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Hostgroup '46 ssh-servers' Host State Breakdowns:

| Host | % Time Up | % Time Down | % Time Unreachable | % Time Undetermined |
|----------|---------------------|-----------------|--------------------|---------------------|
| mandible | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Hostgroup '50 servers' Host State Breakdowns:

| Host | % Time Up | % Time Down | % Time Unreachable | % Time Undetermined |
|---------------------------|---------------------|-----------------|--------------------|---------------------|
| femur | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| femur-aus | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| mandible | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| radius | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-01a | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-04 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-05 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-06 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-07 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-08 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-09 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-10 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-11 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host1 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-instancevm-01 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| talus | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| talus-aus | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| view-02 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| view-04 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| view-06 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| view-07 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Hostgroup '53 Apple' Host State Breakdowns:

| Host | % Time Up | % Time Down | % Time Unreachable | % Time Undetermined |
|-----------------------------|---------------------|-----------------|--------------------|---------------------|
| securecloud-host-04 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-05 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host1 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-remote-route-01 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Hostgroup '56 storage' Host State Breakdowns:

| Host | % Time Up | % Time Down | % Time Unreachable | % Time Undetermined |
|-----------------------|---------------------|-----------------|--------------------|---------------------|
| securecloud-cmi-pod07 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-cmi-pod08 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-pod01 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-pod02 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-pod03 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-pod04 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-pod05 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-pod06 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-pod09 | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

Service State Breakdowns:

| Host | Service | % Time OK | % Time Warning | % Time Unknown | % Time Critical | % Time Undetermined |
|------|------------|---------------------|-----------------|-----------------|-----------------|---------------------|
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

| | | | | | | |
|-----------|--------------------------------------|------------------------|--------------------|--------------------|--------------------|--------|
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| femur | / Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | /home Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| femur-aus | / Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| mandible | / Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | /home Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | HTTP | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | SSH | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-01a_mysql_backup | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-01a_sync_dcm4chee_dir | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-04_mysql_backup | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-04_sync_dcm4chee_dir | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-05_mysql_backup | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-05_sync_dcm4chee_dir | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-06_mysql_backup | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-06_sync_dcm4chee_dir | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-07_mysql_backup | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-07_sync_dcm4chee_dir | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-08_mysql_backup | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-08_sync_dcm4chee_dir | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-09_mysql_backup | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-09_sync_dcm4chee_dir | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-10_mysql_backup | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-10_sync_dcm4chee_dir | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/host-11_mysql_backup | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

| | | | | | | |
|----------------------|--|------------------------|------------------------|--------------------|------------------------|--------|
| | check-ins/host-11_sync_dcm4chee_dir | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/instance-vm-01_mysql_backup | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/instance-vm-01_sync_dcm4chee_dir | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| radius | / Disk Utilization | 0.000% (0.000%) | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | /home Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | HTTP | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-01a | / Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 100.000% (100.000%) | 0.000% |
| securecloud-host-04 | CPU Load Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Pod03-Store1 mounts | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Pod03-Store2 mounts | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-05 | CPU Load Average | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 100.000% (100.000%) | 0.000% |
| | Pod03-Store3 mounts | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Pod03-Store4 mounts | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-06 | / Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | /home Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Pod03-Store5 mounts | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Pod03-Store6 mounts | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Pod03-Store7 mounts | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-07 | / Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | /home Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Pod05-Store4 mounts | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Pod05-Store5 mounts | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-08 | / Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | /home Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

| | | | | | | |
|-----------------------------|------------------------|------------------------|------------------------|--------------------|------------------------|--------|
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Pod05-Store4 mounts | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Pod05-Store5 mounts | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-09 | / Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host-10 | / Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 100.000% (100.000%) | 0.000% |
| securecloud-host-11 | / Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-host1 | CPU Load Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-instancevm-01 | / Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| securecloud-remote-route-01 | CPU Load Average | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | check-ins/quickcare-01 | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 100.000% (100.000%) | 0.000% |
| talus | / Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | /home Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| talus-aus | / Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| view-02 | / Disk Utilization | 0.000% (0.000%) | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | /home Disk Utilization | 0.000% (0.000%) | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| view-04 | / Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | /home Disk Utilization | 0.000% (0.000%) | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |

| | | | | | | |
|---------|------------------------|------------------------|--------------------|--------------------|------------------------|--------|
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| view-06 | / Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | /home Disk Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| view-07 | / Disk Utilization | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 100.000% (100.000%) | 0.000% |
| | CPU Load Averag | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | HTTPS | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | Memory Utilization | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| | DICOM Echo | 100.000% (100.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% (0.000%) | 0.000% |
| Average | | 97.436% (97.436%) | 1.140% (1.140%) | 0.000% (0.000%) | 1.425% (1.425%) | 0.000% |